

LIST OF ILLUSTRATIONS

1-1. Airway, lungs, and chest cage..... 1-8

1-2. Neck (carotid) pulse..... 1-9

1-3. Groin (femoral) pulse..... 1-10

1-4. Wrist (radial) pulse..... 1-10

1-5. Ankle (posterial tibial) pulse..... 1-11

2-1. Responsiveness checked..... 2-2

2-2. Airway blocked by tongue..... 2-3

2-3. Airway opened (cleared)..... 2-4

2-4. Jaw-thrust technique of opening airway..... 2-5

2-5. Head-tilt/chin-lift technique of opening airway..... 2-6

2-6. Check for breathing..... 2-8

2-7. Head-tilt/chin-lift ..... 2-9

2-8. Rescue breathing..... 2-10

2-9. Placement of fingers to detect pulse..... 2-11

2-18. Universal sign of choking..... 2-23

2-19. Anatomical view of abdominal thrust procedure..... 2-24

2-20. Profile view of abdominal thrust..... 2-24

2-21. Profile view of chest thrust..... 2-25

2-22. Abdominal thrust on unconscious casualty..... 2-27

2-23. Hand placement for chest thrust (Illustrated A-D)..... 2-28

2-24. Breastbone depressed 1 1/2 to 2 inches..... 2-29

2-25. Opening casualty's mouth (tongue-jaw lift)..... 2-30

<b>Figure</b>	<b>Page</b>
2-26. Opening casualty's mouth (crossed-finger method).....	2-30
2-27. Using finger to dislodge foreign body.....	2-31
2-28. Grasping tails of dressing with both hands.....	2-33
2-29. Pulling dressing open.....	2-33
2-30. Placing dressing directly on wound.....	2-34
2-31. Wrapping tail of dressing around injured part.....	2-34
2-32. Tails tied into nonslip knot.....	2-35
2-33. Direct manual pressure applied.....	2-35
2-34. Injured limb elevated.....	2-36
2-35. Wad of padding on top of field dressing.....	2-37
2-36. Improvised dressing over wad of padding.....	2-37
2-37. Ends of improvised dressing wrapped tightly around limb	2-38
2-38. Ends of improvised dressing tied together in nonslip knot.	2-38
2-39. Tourniquet 2 to 4 inches above wound.....	2-40
2-40. Rigid object on top of half-knot.....	2-41
2-41. Full knot over rigid object.....	2-41
2-42. Stick twisted.....	2-42
2-43. Free ends looped (Illustrated A and B).....	2-42
2-44. Clothing loosened and feet elevated.....	2-46
2-45. Body temperature maintained.....	2-46
2-46. Casualty's head turned to side.....	2-47

## C2, FM 21-11

<b>Figure</b>	<b>Page</b>
3-1. Casualty lying on side opposite injury.....	3-6
3-2. First tail of dressing wrapped horizontally around head.....	3-8
3-3. Second tail wrapped in opposite direction.....	3-9
3-4. Tails tied in nonslip knot at side of head.....	3-9
3-5. Dressing placed over wound.....	3-10
3-6. One tail of dressing wrapped under chin.....	3-10
3-7. Remaining tail wrapped under chin in opposite direction...	3-11
3-8. Tails of dressing crossed with one around forehead.....	3-11
3-9. Tails tied in nonslip knot (in front of and above ear).....	3-12
3-10. Triangular bandage applied to head (Illustrated A thru C).	3-12
3-11. Cravat bandage applied to head (Illustrated A thru C).....	3-13
3-12. Casualty leaning forward to permit drainage.....	3-15
3-13. Casualty lying on side.....	3-15
3-14. Side of head or cheek wound.....	3-18
3-15. Dressing placed directly on wound. (Illustrated A and B).	3-19
3-16. Bringing second tail under the chin.....	3-19
3-17. Crossing the tails on the side of the wound.....	3-20
3-18. Tying the tails of the dressing in a nonslip knot.....	3-20
3-19. Applying cravat bandage to ear (Illustrated A thru C).....	3-21
3-20. Applying cravat bandage to jaw (Illustrated A thru C).....	3-22
3-21. Collapsed lung.....	3-23

<b>Figure</b>	<b>Page</b>
3-22. Open chest wound sealed with plastic wrapper.....	3-25
3-23. Shaking open the field dressing.....	3-26
3-24. Field dressing placed on plastic wrapper.....	3-26
3-25. Tails of field dressing wrapped around casualty in opposite direction.....	3-27
3-26. Tails of dressing tied into nonslip knot over center of dressing.....	3-27
3-27. Casualty positioned (lying) on injured side.....	3-28
3-28. Casualty positioned (lying) on back with knees (flexed) up..	3-29
3-29. Protruding organs placed near wound.....	3-30
3-30. Dressing placed directly over the wound.....	3-31
3-31. Dressing applied and tails tied with a nonslip knot.....	3-32
3-32. Field dressing covered with improvised material and loosely tied.....	3-32
3-33. Casualty covered and rolled on ground.....	3-33
3-34. Casualty removed from electrical source (using nonconductive material).....	3-34
3-35. Shoulder bandage.....	3-37
3-36. Extended cravat bandage applied to shoulder (or armpit) (Illustrated A thru H).....	3-38
3-37. Elbow bandage (Illustrated A thru C).....	3-40
3-38. Triangular bandage applied to hand (Illustrated A thru E).	3-40
3-39. Cravat bandage applied to palm of hand (Illustrated A thru F).....	3-41
3-40. Cravat bandage applied to leg (Illustrated A thru C).....	3-42

## C2, FM 21-11

<b>Figure</b>	<b>Page</b>
3-41. Cravat bandage applied to knee (Illustrated A thru C).....	3-42
3-42. Triangular bandage applied to foot (Illustrated A thru E)....	3-43
4-1. Kinds of fractures (Illustrated A thru C).....	4-1
4-2. Nonslip knots tied away from casualty.....	4-6
4-3. Shirt tail used for support.....	4-7
4-4. Belt used for support.....	4-7
4-5. Arm inserted in center of improvised sling.....	4-7
4-6. Ends of improvised sling tied to side of neck.....	4-8
4-7. Corner of sling twisted and tucked at elbow.....	4-8
4-8. Arm immobilized with strip of clothing.....	4-9
4-9. Application of triangular bandage to form sling (two methods).....	4-10
4-10. Completing sling sequence by twisting and tucking the corner of the sling at the elbow (Illustrated A and B).....	4-11
4-11. Board splints applied to fractured elbow when elbow is not bent (two methods) (081-831-1034) (Illustrated A and B).....	4-11
4-12. Chest wall used as splint for upper arm fracture when no splint is available (Illustrated A and B).....	4-12
4-13. Chest wall, sling, and cravat used to immobilize fractured elbow when elbow is bent.....	4-12
4-14. Board splint applied to fractured forearm (Illustrated A and B).....	4-13
4-15. Fractured forearm or wrist splinted with sticks and supported with tail of shirt and strips of material (Illustrated A thru C).....	4-13
4-16. Board splint applied to fractured wrist and hand (Illustrated A thru C).....	4-14

<b>Figure</b>	<b>Page</b>
4-17. Board splint applied to fractured hip or thigh (081-831-1034).....	4-14
4-18. Board splint applied to fractured or dislocated knee (081-831-1034).....	4-15
4-19. Board splint applied to fractured lower leg or ankle.....	4-15
4-20. Improvised splint applied to fractured lower leg or ankle.....	4-16
4-21. Poles rolled in a blanket and used as splints applied to fractured lower extremity.....	4-16
4-22. Uninjured leg used as splint for fractured leg (anatomical splint).....	4-17
4-23. Fractured jaw immobilized (Illustrated A thru C).....	4-17
4-24. Application of belts, sling, and cravat to immobilize a collarbone.....	4-18
4-25. Application of sling and cravat to immobilize a fractured or dislocated shoulder (Illustrated A thru D).....	4-19
4-26. Spinal column must maintain a swayback position (Illustrated A and B).....	4-20
4-27. Placing face-up casualty with fractured back onto litter.....	4-21
4-28. Casualty with roll of cloth (bulk) under neck.....	4-23
4-29. Immobilization of fractured neck.....	4-23
4-30. Preparing casualty with fractured neck for transportation (Illustrated A thru E).....	4-25
6-1. Characteristics of nonpoisonous snake.....	6-1
6-2. Characteristics of poisonous pit viper.....	6-2
6-3. Poisonous snakes.....	6-2
6-4. Cobra snake.....	6-3
6-5. Coral snake.....	6-4


C2, FM 21-11

Figure	Page
6-6. Sea snake.....	6-5
6-7. Characteristics of poisonous snake bite.....	6-5
6-8. Constricting band.....	6-7
6-9. Brown recluse spider.....	6-11
6-10. Black widow spider.....	6-12
6-11. Tarantula.....	6-12
6-12. Scorpion.....	6-12
7-1. Nerve Agent Antidote Kit, Mark I.....	7-6
7-2. Thigh injection site.....	7-8
7-3. Buttocks injection site.....	7-9
7-4. Holding the set of autoinjectors by the plastic clip.....	7-10
7-5. Grasping the atropine autoinjector between the thumb and first two fingers of the hand.....	7-10
7-6. Removing the atropine autoinjector from the clip.....	7-11
7-7. Thigh injection site for self-aid.....	7-11
7-8. Buttocks injection site for self-aid.....	7-12
7-9. Used atropine autoinjector placed between the little finger and ring finger.....	7-13
7-10. Removing the 2 PAM Cl autoinjector.....	7-13
7-11. One set of used autoinjectors attached to pocket flap.....	7-14
7-12. Injecting the casualty's thigh.....	7-18
7-13. Injecting the casualty's buttocks.....	7-19
7-14. Three sets of used autoinjectors attached to pocket flap....	7-21
A-1. Field first aid case and dressing (Illustrated A thru C).....	A-1

<b>Figure</b>	<b>Page</b>
A-2. Triangular and cravat bandages (Illustrated A thru E).....	A-5
B-1. Fireman's carry (Illustrated A thru N).....	B-6
B-2. Support carry.....	B-14
B-3. Arms carry.....	B-14
B-4. Saddleback carry.....	B-15
B-5. Pack-strap carry (Illustrated A and B).....	B-16
B-6. Pistol-belt carry (Illustrated A thru F).....	B-17
B-7. Pistol-belt drag.....	B-19
B-8. Neck drag.....	B-20
B-9. Cradle drop drag (Illustrated A thru D).....	B-21
B-10. Two-man support carry (Illustrated A and B).....	B-23
B-11. Two-man arms carry (Illustrated A thru D).....	B-25
B-12. Two-man fore-and-aft carry (Illustrated A thru C).....	B-27
B-13. Two-hand seat carry (Illustrated A and B).....	B-29
B-14. Four-hand seat carry (Illustrated A and B).....	B-30
B-15. Improvised litter with poncho and poles (Illustrated A thru C).....	B-32
B-16. Improvised litter made with poles and jackets (Illustrated A and B).....	B-33
B-17. Improvised litters made by inserting poles through sacks and by rolling blanket.....	B-33
C-1. Poison ivy.....	C-7
C-2. Western poison oak.....	C-7
C-3. Poison sumac.....	C-7
C-4. Protect an unbroken blister.....	C-9



C2, FM 21-11

Figure	Page
C-5. Drain the blister likely to break.....	C-10
E-1. Digital pressure (pressure with fingers, thumbs or hands)..	E-1
F-1.  M208A1 Skin Decontamination Kit.....	F-4

Tables	Page
5-1. Sun or Heat Injuries (081-831-1008).....	5-6
5-2. Cold and Wet Injuries (081-831-1009).....	5-19
6-1. Bites and Stings.....	6-15
8-1. Mild Battle Fatigue.....	8-12
8-2. More Serious Battle Fatigue.....	8-13
8-3. Preventive Measures to Combat Battle Fatigue.....	8-14